



Verstellbare Universalhalter für Abgasanlagen
Universal adjustable brackets for exhaust systems



EXCLUSIVE BY HJS

Ab sofort lieferbar!
Available now!

HJS-Nr. | HJS-No. 82 00 4360

Rohr-Ø 45 mm · Schelle M10 · Universalhalter gerade ohne Gummipuffer

Exhaust pipe Ø 45 mm · U-clamp M10 · Bracket straight without Rubber pad



EXCLUSIVE BY HJS

Ab sofort lieferbar!
Available now!

HJS-Nr. | HJS-No. 82 00 4361

Universalhalter gerade ohne Schelle · ohne Gummipuffer

Bracket straight without Clamp · Rubber pad



U-Bügel Schelle M10, verzinkt · passend für HJS-Nr. 82 00 4361

M10 U-Clamps, galvanised · suitable for HJS-No. 82 00 4361

HJS-Nr. HJS-No.	Ø	VE PU
83 00 9005	42,0 mm	10
83 00 9006	45,0 mm	10
83 00 9007	48,0 mm	10
83 00 9008	50,0 mm	10
83 00 9009	52,0 mm	10
83 00 9010	54,0 mm	10
83 00 9011	58,0 mm	10
83 00 9012	60,0 mm	10
83 00 9038	65,0 mm	10


Logistische Daten | Logistical data

HJS-Nr. HJS-No.	Preisgruppe Price group	Länge mm Length mm	Breite mm Width mm	Höhe mm Height mm	Gewicht kg Weight kg	Zolltarif-Nr. Customs tariff no.	EAN-Code EAN code	UVP zzgl. MwSt RRP plus VAT
Universalhalter für Abgasanlagen Brackets universal for Exhaust Systems								
82 00 4360	998	235	145	72	0,490	87089291	4012588418081	29,90 €
82 00 4361	998	235	145	72	0,335	87089291	4012588418890	29,30 €
Bügelgeschellen U-Clamps								
83 00 9005	7	180	150	55	0,164	87089291	4012588044181	-
83 00 9006	7	180	150	55	0,174	87089291	4012588044198	-
83 00 9007	7	180	150	55	0,178	87089291	4012588044204	-
83 00 9008	7	180	150	55	0,184	87089291	4012588044211	-
83 00 9009	7	180	150	55	0,188	87089291	4012588044228	-
83 00 9010	7	180	150	55	0,194	87089291	4012588044235	-
83 00 9011	7	195	185	70	0,218	87089291	4012588044242	-
83 00 9012	7	195	185	70	0,221	87089291	4012588044259	-
83 00 9038	7	195	185	70	0,245	87089291	4012588381385	-

*Deutschland | *Germany

Der neue verstellbare Universalhalter von HJS setzt neue Maßstäbe in der Flexibilität bei Instandsetzungsmaßnahmen an Abgasanlagen.

HJS universal adjustable bracket sets new standards in the flexibility with the repair of exhaust systems.



Den Kern des dreidimensional anpassbaren Edelstahlhalters bildet die Führungsschiene für Bügelschellen mit $\varnothing 42 - 65$ mm. Die Bügelschellen in der hochwertigen und massiv ausgeführten Bauform M10 können einfach und problemlos verschoben und mit üblichem Montagewerkzeug fixiert werden.

Die lösbare Fixierung durch die Innensechskantschraube ermöglicht bei der Vormontage eine Anpassung durch eine axiale Verschiebung der Haltestange.


Befindet sich der Universalhalter in seiner durch den Monteur gewählten Endposition, kann die dauerhafte Fixierung der Haltestange ausschließlich durch Schweißpunkte beiderseits der Führungsbuchse gewährleistet werden.

The central unit of the 3D adjustable stainless steel holder is the guide rail, suitable from $\varnothing 42 - 65$ mm. The M10 u-clamps can be simply and easily moved into it and fixed with commercially available tools.

The detachable connection via Allen screw allows for the pre-assembly of an individual adaptation through the axially shiftable support rod.

When the universal holder is in its final position, the support rod is fixated by a spot weld in front of and behind the guide bushing.

Der Unterschied liegt im Detail: | The difference is in the detail:



Universalhalter axial verschiebbar
Universal bracket axially displaceable



Beispiel 1 Example 1
Universalhalter nach Anwendungsfall formbar
Universal bracket malleable according to application




Beispiel 2 Example 2

**NEU
NEW**

Der neue HJS-Katalog „**Universalteile & Reparaturlösungen**“ steht ab sofort zum Download zur Verfügung unter www.hjs.com/aftermarket/media/downloads.html

Für den klassischen Papierkatalog senden Sie bitte eine E-Mail mit Ihrem Namen und Ihrer Anschrift an: vertrieb@hjs.com



The new HJS catalogue „**Universal Spare Parts & Repair Solutions**“ in German is now available for download at: www.hjs.com/aftermarket/media/downloads.html

For the classic paper catalogue in German, please send an e-mail with your name and address to: vertrieb@hjs.com

Stand 07.06.2018

Urheberrechtlich geschützt/© by HJS Emission Technology GmbH & Co. KG, D-58706 Menden/Sauerland

All information and data stated in this Product Range document has been compiled with utmost care. Nevertheless, HJS accepts no liability for any errors, omissions or other inaccuracies contained herein. Subject to change without notice. Reprinting or reproduction, in whole or in part, including of photographs, illustrations or graphics, is not permitted without the prior written consent of HJS Emission Technology. We reserve all rights in connection with this document. The vehicle applications cited in this Product Range document may possibly be valid only up to the date printed on the last page of the document. All references made in this Product Range document to the item numbers of vehicle manufacturers and/or competitors are provided for the purpose of comparison only. Such information is not allowed to be used in invoices issued to vehicle owners.

© HJS Emission Technology GmbH & Co. KG, 58706 Menden/Sauerland, Germany

All information and data stated in this Product Range document has been compiled with utmost care. Nevertheless, HJS accepts no liability for any errors, omissions or other inaccuracies contained herein. Subject to change without notice. Reprinting or reproduction, in whole or in part, including of photographs, illustrations or graphics, is not permitted without the prior written consent of HJS Emission Technology. We reserve all rights in connection with this document. The vehicle applications cited in this Product Range document may possibly be valid only up to the date printed on the last page of the document. All references made in this Product Range document to the item numbers of vehicle manufacturers and/or competitors are provided for the purpose of comparison only. Such information is not allowed to be used in invoices issued to vehicle owners.

Seite | Page 4

HJS Emission Technology
GmbH & Co. KG

Dieselweg 12
D-58706 Menden/Sauerland

Telefon +49 2373 987-222
Telefax +49 2373 987-249

hjs@hjs.com
www.hjs.com

HJS
Emission Technology

DPF®, SMF® und City-Filter® - eingetragene Marken der HJS Emission Technology | DPF®, SMF® and City-Filter® - trademarks registered by HJS Emission Technology

26.06.9016