

PREMIER
TecDoc®
DATA SUPPLIER

Produkt-Neuheiten | New Products

Nr. 9000-0072



Logistische Daten | Logistical data

HJS-Nr. HJS-No.	Seite Page	Preisgruppe Price group	Länge ¹ Length ¹	Breite ¹ Width ¹	Höhe ¹ Height ¹	Gewicht ² Weight ²	Zolltarif-Nr. Customs tariff no.	Ursprungsland Country of Origin (CoO)	EAN-Code EAN code
Montagetechnik Mounting parts									
82 44 9006	2	5	145	110	55	0,229	40082900	IN	4012588809957
Sensoren Sensors									
92 09 4236	3	60	115	68	48	0,064	85439000	BG	4012588804815
92 09 4237	3	60	115	68	48	0,080	85439000	BG	4012588804839
92 09 4239	4	60	115	68	48	0,081	85439000	BG	4012588805584
92 09 4241	4	60	115	68	48	0,083	85439000	CN	4012588805683
92 09 4242	5	60	115	68	48	0,090	85439000	CN	4012588806277
92 09 4252	5	60	115	68	48	0,098	85439000	BG	4012588807281
92 09 4253	6	60	115	68	48	0,089	85439000	BG	4012588807823
92 09 4254	6	60	115	68	48	0,081	85439000	BG	4012588808585
92 09 7045	7	60	180	150	55	0,765	85439000	CN	4012588801364
92 09 7046	7	60	180	150	55	0,825	85439000	CN	4012588801371

¹Angaben in mm | ¹Specifications in mm • ²Gewicht in kg | ²Weight in kg

Montagesatz | Mounting Kit

Mazda 6 (GH) 1.8/2.0/2.5 MZR/2.0/2.2 MZR-CD/2.2 D - 88-136 kW

HJS-Nr. 82 44 9006

Montagesatz für Nachschalldämpfer
Mounting kit for rear silencer

**Fzg. mit 2 Nachschalldämpfern
benötigen 2x den Montagesatz**
Vehicle with 2 rear silencers
need 2 of the mounting kit

Für OE-Nr. | For OE-No.:
(L501-40-100E) / (L507-40-100B)
(L508-40-200B) / (L807-40-100E)
(L809-40-100B) / (LF1L-40-100)
(LF1M-40-200) / (LFE7-40-200E)
(LFG8-40-200B) / (R2N9-40-100)
(R2P1-40-100) / (R2P3-40-200)
(R2R1-40-100B) / (R2R2-40-100B)
(RFJ7-40-100C) / (RFJ8-40-100B)



Ab sofort lieferbar! | Available now!

Urheberrechtlich geschützt/© by HJS Emission Technology GmbH & Co. KG, D-58706 Menden/Sauerland

All information and data stated in this Product Range document has been compiled with utmost care. Nevertheless, HJS accepts no liability for any errors, omissions or other inaccuracies contained herein. Subject to change without notice. Reprinting or reproduction, in whole or in part, including of photographs, illustrations or graphics, is not permitted without the prior written consent of HJS Emission Technology. We reserve all rights in connection with this document. The vehicle applications cited in this Product Range document may possibly be valid only up to the date printed on the last page of the document. All references made in this Product Range document to the item numbers of vehicle manufacturers and/or competitors are provided for the purpose of comparison only. Such information is not allowed to be used in invoices issued to vehicle owners.

© HJS Emission Technology GmbH & Co. KG, 58706 Menden/Sauerland, Germany

All information and data stated in this Product Range document has been compiled with utmost care. Nevertheless, HJS accepts no liability for any errors, omissions or other inaccuracies contained herein. Subject to change without notice. Reprinting or reproduction, in whole or in part, including of photographs, illustrations or graphics, is not permitted without the prior written consent of HJS Emission Technology. We reserve all rights in connection with this document. The vehicle applications cited in this Product Range document may possibly be valid only up to the date printed on the last page of the document. All references made in this Product Range document to the item numbers of vehicle manufacturers and/or competitors are provided for the purpose of comparison only. Such information is not allowed to be used in invoices issued to vehicle owners.

Ausführlicher Verwendungsbereich unter | Detailed application on www.hjs.com/lieferprogramm oder | or TecDoc

Temperatursensoren | Temperature sensors

Alfa Romeo Giulia (952_) 2.2D/2.2D Q4 - 100-154 kW · Giulietta (940_) 1.6/2.0 JTDM - 88-129 kW · Stelvio (949_) 2.2D/2.2D Q4/2.2 JTDM Q4 - 110-154 kW | **Fiat** 500L 1.3D/1.6D Multijet - 62-88 kW · 500X 1.3D/1.6D Multijet - 70-96 kW · Tipo 1.3D/1.6D - 70-88 kW · Doblo (263_) 1.3 D Multijet - 55-70 kW · Doblo (119_/223_) 1.3D Multijet/1.3 JTD 16V Multijet/1.3 JTD - 55/62 kW · Fiorino (225_) 1.3D Multijet/1.3 JTD Multijet - 55-70 kW | **Jeep** Compass 1.6 CRD/Multijet · 2.0 CRD 4x4 - 88-125 kW · Renegade 1.6 CRD/Multijet/2.0 CRD 4x4 · Wrangler IV 2.2 Multijet II - 147 kW · Cherokee 2.2 CRD/4x4 - 110/143 kW

HJS-Nr. 92 09 4236

Kabellänge* | Cable length*: 160 mm
Gewinde-Maß | Threading: M14 x 1,5

Passend für OE-Nr. | Suitable for OE-No.
ALFA ROMEO / FIAT / JEEP
46.350.840
46.341.092 / 46.337.079
46.341.093 / 55.271.327
55.251.609




Mercedes-Benz C-Klasse (W205/S205/A205/C205) · CLS (C257) · E-Klasse (W213/S213/A238/C238) · G-Klasse (W463) · GLC (X253/C253) · GLE (V167/C167) · GLS (X167) · S-Klasse (W222/V222/X222) · Vito/V-Klasse (W447) · Sprinter (907*/910*) - 1.6-3.0 ltr. - 75-250 kW

HJS-Nr. 92 09 4237

Kabellänge* | Cable length*: 525 mm
Gewinde-Maß | Threading: M14 x 1,5

Passend für OE-Nr. | Suitable for OE-No.
MERCEDES-BENZ
A000.905.97.04 / 000.905.97.04



* Länge ohne Stecker und Sensor | *Length is without sensor body and electric connector.

Ausführlicher Verwendungsbereich unter | Detailed application on www.hjs.com/lieferprogramm oder | or TecDoc

Temperatursensoren | Temperature sensors

Chevrolet Trax/Tracker 1.6D - 100 kW | **Opel** Astra J (P10) 1.6 CDTI - 81/100 kW · Astra K (B16) 1.6 CDTI - 70-100 kW · Meriva B (S10) 1.6 CDTI - 70-100 kW · Mokka/Mokka X (J13) 1.6 CDTI/4x4 - 81/100 kW · Insignia A (G09) 1.6 CDTI - 88/100 kW · Insignia B (Z18) 1.6 CDTI - 81/100 kW · Zafira Tourer C (P12) 1.6 CDTI - 88-100 kW | **Vauxhall** Zafira MK III (P12) 1.6 CDTI - 100 kW

HJS-Nr. 92 09 4239

Kabellänge* | Cable length*: 450 mm
Gewinde-Maß | Threading: M14 x 1,5

Passend für OE-Nr. | Suitable for OE-No.
OPEL / CHEVROLET / GM
55.497.866
12.49.064 / 55.489.548




Ford Mondeo IV (BA7) 2.0/2.2 TDCi - 85-147 kW · Galaxy II (WA6) 2.0/2.2 TDCi - 85-147 kW · S-MAX (WA6) 2.0/2.2 TDCi - 85-147 kW

HJS-Nr. 92 09 4241

Kabellänge* | Cable length*: 585 mm
Gewinde-Maß | Threading: M12 x 1,25

Passend für OE-Nr. | Suitable for OE-No.
FORD / MOTORCRAFT
1.681.282 / AG91-12B591-BB



* Länge ohne Stecker und Sensor | *Length is without sensor body and electric connector.

Ausführlicher Verwendungsbereich unter | Detailed application on www.hjs.com/lieferprogramm oder | or TecDoc

Temperatursensoren | Temperature sensors

Ford Transit/Tourneo Custom V362 (F*) 2.2 TDCi - 74-114 kW · Transit V363 (F*) 2.2 TDCi - 74-114 kW

HJS-Nr. 92 09 4242

Kabellänge* | Cable length*: 655 mm
Gewinde-Maß | Threading: M14 x 1,5

Passend für OE-Nr. | Suitable for OE-No.
FORD / MOTORCRAFT
1.792.122 / BK2A-12B591-AB



Ab sofort lieferbar! | Available now!

Mercedes-Benz E-Klasse (W213/S213/A238/C238) E350d/4-matic - 3.0 ltr./190 kW · GLC (X253/C253) 350d 4-matic - 3.0 ltr./190 kW · V-Klasse V200/220 CDI · V250 Blue-TEC/Vito (W447) 109-119 CDI · Marco Polo (W447) 160-200 CDI · Sprinter (B906) 210-519 CDI · Sprinter (B907) 211-519 CDI

HJS-Nr. 92 09 4252

Kabellänge* | Cable length*: 490 mm
Gewinde-Maß | Threading: M14 x 1,5

Passend für OE-Nr. | Suitable for OE-No.
MERCEDES-BENZ
A000.905.99.05 / 000.905.99.05
A000.905.17.03 / 000.905.17.03



Ab sofort lieferbar! | Available now!

* Länge ohne Stecker und Sensor | *Length is without sensor body and electric connector.

Ausführlicher Verwendungsbereich unter | Detailed application on www.hjs.com/lieferprogramm oder | or TecDoc

Temperatursensoren | Temperature sensors

Mercedes-Benz C-Klasse (W205/S205/A205/C205) C180 - C300de - 1.6/2.0ltr. - 90-225kW · CLS (C257) 220d - 2.0 ltr. - 143 kW · E-Klasse (W213/S213/A238/C238) E220d - E300de/4-matic - 1.6/2.0 ltr. - 110-225 kW · G-Klasse 350/400d 4-matic - 183-143 kW · GLC (X253/C253) 200d - 300de/4-matic - 2.0 ltr. - 120-225 kW · GLE (V167/C167) 350de 4-matic - 2.0 ltr. - 225-245 kW · V-Klasse V200 - 250 CDI · V250 BlueTEC/Vito (W447) 109-119 CDI · Marco Polo (W447) 200-250 CDI/4-matic · Sprinter (B907) 211-519 CDI

HJS-Nr. 92 09 4253

Kabellänge* | Cable length*: 440 mm
Gewinde-Maß | Threading: M14 x 1,5

Passend für OE-Nr. | Suitable for OE-No.
MERCEDES-BENZ
A000.905.96.04 / 000.905.96.04



Ab sofort lieferbar! | Available now!

Mercedes-Benz V-Klasse V200-220 CDI · V250 BlueTEC/Vito (W447) 114-119 CDI · Marco Polo (W447) 200-250 CDI/4-matic · Sprinter (B906) 210-516 CDI · Sprinter (B907) 211-516 CDI

HJS-Nr. 92 09 4254

Kabellänge* | Cable length*: 225 mm
Gewinde-Maß | Threading: M14 x 1,5

Passend für OE-Nr. | Suitable for OE-No.
MERCEDES-BENZ
A000.905.92.05 / 000.905.92.05
A000.905.82.05 / 000.905.82.05
A000.905.16.32 / 000.905.16.32



Ab sofort lieferbar! | Available now!

* Länge ohne Stecker und Sensor | *Length is without sensor body and electric connector.

Ausführlicher Verwendungsbereich unter | Detailed application on www.hjs.com/lieferprogramm oder | or TecDoc

NOx-Sensor | NOx sensor

BMW 118d/dX/120d/dX/125d (F20/F21 LCI) · 218d/220d/dX/225d (F22/F23 LCI) · X5 25d/dX/30dX/40dX/M50dX (F15) · X6 30dX (E71) · X6 330dX/40dX/M50dX (F16)

HJS-Nr. 92 09 7045

Kabellänge* | Cable length*: 540 mm
Anschlussanzahl | Nos. of connectors: 5


Passend für O.E.-Nr. | Suitable for OE-No.
BMW

13.62.8.589.844

13.62.8.576.469 / 13.62.8.518.789

13.62.8.511.664 / 13.62.8.509.719

13.62.7.812.528



Ab sofort lieferbar! | Available now!

BMW 335d (E90 LCI) · X3 28dX (F25) - USA-Ausführung | USA version

HJS-Nr. 92 09 7046

Kabellänge* | Cable length*: 740 mm
Anschlussanzahl | Nos. of connectors: 5


Passend für O.E.-Nr. | Suitable for OE-No.
BMW

13.62.8.589.845

13.62.8.576.470 / 13.62.8.511.665

13.62.8.509.720 / 13.62.7.812.529

13.62.8.518.790



Ab sofort lieferbar! | Available now!

* Länge ohne Stecker und Sensor | *Length is without sensor body and electric connector.

Ausführlicher Verwendungsbereich unter | Detailed application on www.hjs.com/lieferprogramm oder | or TecDoc

HJS – Ihr Spezialist für | HJS – Your specialist for



- **Diesel-Partikelfilter**
Diesel particulate filters



- **Austausch Diesel-Partikelfilter**
Replacement diesel particulate filters



- **Katalysatoren**
Catalytic converters



- **Montagetechnik**
Mounting parts



- **Abgasrohre**
Exhaust pipes



- **Sensortechnik, Zubehör & Reparaturlösungen**
Sensor technology, Accessories and Repair Solutions

www.hjs.com/lieferprogramm